

GENERAL STRUCTURAL NOTES

A. CODES AND SPECIFICATIONS

1. International Building Code (IBC) - 2012 Edition
2. ACI 318-11 Building Code Requirements for Reinforced Concrete
3. ANSI/APA National Design Specification (NDS) & Suppl. for Wood Const. - 2012 Edition
4. ASCE 7-10 Min. Design Loads for Buildings and other Structures.

B. DESIGN LOADS UNIFORM (PSF)

1. Floor Loads


a. Deck Live = $\frac{\text{Uniform}}{100}$

C. MATERIALS

1. Dimensional Lumber #2 Douglas Fir
2. Concrete f_c Slab 4000 PSI
3. Reinforcing Steel ASTM A615 - Grade 60
4. Anchor Bolts A36 / F1554 GRADE 36

4" CONCRETE DECK TABLE			
SPAN	JOIST SIZE	JOIST SPACING	SDS 1/4 x 3 1/2 SCREW SPACING
6' - 0"	2x6	16" O.C.	5" O.C.
6' - 0"	2x6	16" O.C.	5" O.C.

6" CONCRETE DECK TABLE			
SPAN	JOIST SIZE	JOIST SPACING	JOIST SPACING
4' - 0"	2x4	16" O.C.	7" O.C.
6' - 0"	2x6	16" O.C.	4 1/2" O.C.
8' - 0"	2x8	12" O.C.	3" O.C.




FLOOR PLAN

1/4" = 1'-0"



11-19-2013



1 SECTION
1 DO NOT SCALE

COPYRIGHT © TETON STRUCTURAL ENGINEERS P.C. 2013
 130 SOUTH STATE STREET
 SHELLEY, IDAHO 83431
 PHONE (208) 357-2420
 FAX (208) 357-2419
 TETON STRUCTURAL ENGINEERS P.C.
 CHECKED BY: MDG
 PROJECT #213299
 11/19/13
 SHT: 1
 OF ONE

GENERIC
 COLD STORAGE