



Products				
PlotID	Length	Product	Plies	Net Qty
FJ1	34' 0"	11 7/8" TJI@ 110	1	6
FJ2	18' 0"	11 7/8" TJI@ 110	1	34
FJ3	18' 0"	11 7/8" TJI@ 110	2	4
FJ4	16' 0"	11 7/8" TJI@ 110	1	3
FJ5	14' 0"	11 7/8" TJI@ 110	1	2
FJ6	8' 0"	11 7/8" TJI@ 110	1	9
FJ7	6' 0"	11 7/8" TJI@ 110	1	28
BM1	14' 0"	1 3/4" x 11 7/8" 1.9E Microllam® LVL	1	3
BM2	10' 0"	1 3/4" x 11 7/8" 1.9E Microllam® LVL	2	2
BM3	8' 0"	1 3/4" x 11 7/8" 1.9E Microllam® LVL	2	4
BM4	6' 0"	1 3/4" x 11 7/8" 1.9E Microllam® LVL	1	3
BM5	6' 0"	2x10 DF No.2	2	18
Ca1	16' 0"	1 1/4" x 11 7/8" 1.3E TimberStrand® LSL	1	22
Bk1	49' 0"	11 7/8" TJI@ 110	1	1

Accessories				
PlotID	Length	Product	Plies	Net Qty
Web Stiffeners (11 7/8" TJI@ 110)				
			1	38
3/4" Plywood or OSB (23/32" APA Rated Sheathing 48/24 Exposure 1)				
			1	55

Connector Summary									
Qty	Manuf	Product	Flange	Backer Blocks	Web Stiff	Skew	Slope	Supporting Mtl	Supported Mtl
1	Simpson	HU 410	None	No	Yes	-	-	SCL	2- 11 7/8" TJI@ 110
1	Simpson	IUS 1.81/11.88	None	No	Yes	-	-	SCL	11 7/8" TJI@ 110
15	Simpson	IUS 1.81/11.88	None	No	Yes	-	-	SCL	11 7/8" TJI@ 110
24	Simpson	IUS 1.81/11.88	None	No	No	-	-	SCL	11 7/8" TJI@ 110
9	Simpson	IUS 1.81/11.88	None	No	No	-	-	SCL	11 7/8" TJI@ 110
3	Simpson	IUS 1.81/11.88	None	No	No	-	-	SCL	1 3/4" x 11 7/8" 1.9E Microllam® LVL
2	Simpson	IUS 1.81/11.88	None	No	Yes	-	-	SCL	11 7/8" TJI@ 110
9	Simpson	IUS 1.81/11.88	None	No	No	-	-	SCL	11 7/8" TJI@ 110
3	Simpson	IUS 1.81/11.88	None	No	No	-	-	SCL	11 7/8" TJI@ 110

LEVEL AND FLOOR CONTAINER NOTES	
Current Date:	5/9/2018
File Name:	tr-All Star - Saturn Park Townhomes.mmd
Level Name:	1st Floor
Building Code - Design Methodology:	IRC 2012
Floor Container:	FC2
Floor Area Loading is:	40 Live Load & 12 Dead Load
Maximum Allowed Deflection	L/480 Live Load & L/240 Total Load



Idaho Falls, LBM
DESIGNER: Blaine Eborn
PHONE: 208-557-5056
E-MAIL: Blaine.Eborn@BuildWithBMC.com

Job Number: XXX
Date: 5/9/18

Builder: All Star Homes
Job Name: Saturn Park Townhomes
Address: XXX
City, St.: Idaho Falls, ID