



Main Floor Framing

Tag	Qty	Product	Len	Cut Logic
Floor Joist				
J1	6	2-5/16"x11-7/8" BCI 6000 1.8	44'	6x(1/43)
J1	6	2-5/16"x11-7/8" BCI 6000 1.8	38'	6x(1/38)
J1	7	2-5/16"x11-7/8" BCI 6000 1.8	28'	7x(1/28)
J1	6	2-5/16"x11-7/8" BCI 6000 1.8	26'	6x(1/26)
J1	4	2-5/16"x11-7/8" BCI 6000 1.8	24'	4x(1/23)
J1	1	2-5/16"x11-7/8" BCI 6000 1.8	20'	1x(1/20)
J1	1	2-5/16"x11-7/8" BCI 6000 1.8	16'	3x(1/16) 8x(1/15)
J1	3	2-5/16"x11-7/8" BCI 6000 1.8	14'	3x(1/14)
J1	1	2-5/16"x11-7/8" BCI 6000 1.8	10'	1x(1/10)
J1	3	2-5/16"x11-7/8" BCI 6000 1.8	8'	3x(1/8)
J1	3	2-5/16"x11-7/8" BCI 6000 1.8	6'	3x(1/6)
J1	1	2-5/16"x11-7/8" BCI 6000 1.8	2'	1x(2/1)
Floor Joist Blocking				
Bk1	5	12-5/16"x11-7/8" BCI 6000 1.8		R/L
Header				
Hd1	1	11-3/4"x11-7/8" Versa-Lam LVL	4'	1x(1/4)
Beam				
B1	2	11-3/4"x11-7/8" Versa-Lam LVL	12'	2x(1/12)
Rim				
Rm1	230	11-1/8"x11-7/8" BC Rim Board OSB		R/L
Hanger				
H1	7	1/2"TS2.37/11.88 Simpson Strong Tie		

PARK PLACE LOT 65

MAIN FLOOR



These placement plans for the products specified were based on the information provided to us. This service is solely intended for product application assurance. It is not intended to circumvent the need for a design professional as determined by the building codes. The design of the structure and the materials are compatible with the overall project.

3 PEAKS DESIGN

Scale 1/4"=1'0"

Layout Note	** This is FOR YOUR INFORMATION
Items to Reference	
NOTES:	
1) ENGINEER OF RECORD TO APPROVE ALL MATERIAL SIZES, USAGE, BEARINGS, LOCATIONS, LAYOUT, AND ATTACHMENTS.	
2) SEE ALL NOTES AND DETAILS ON THE STRUCTURAL DRAWINGS AND PLAN DETAILS.	
3) PURCHASER TO VERIFY ALL MEASUREMENTS.	
4) PURCHASER TO VERIFY ALL ANGLES, SLOPES, SKEWS, LOADS, AND MODIFICATIONS OF ALL HANGERS.	
5) WEB STIFFENERS REQUIRED AT BEARING LOCATIONS ACCORDING TO LOADING, CODE, IF NOTED ON ORIGINAL PLANS, IN NOTES, OR SPECS.	
6) REFER TO CURRENT STRUCTURAL PLAN SET FOR FLOOR MEMBER SPACING UNO.	
7) ICC ESR REPORTS: 1336, 1040, 1053	

Floor Load Deflection Criteria: L/480
Floor Live Load (PSF): 40
Floor Dead Load (PSF): 10
Creation Date: 7/29/2019
Structural Date: 7/24/2019
Estimator: dif
Tracking: