


Products					
PlotID	Length	Product	Plies	Net Qty	Fab Type
FJ1	40-00-00	11 7/8" TJI@ 210	1	11	MFD
FJ2	38-00-00	11 7/8" TJI@ 210	1	6	MFD
FJ3	26-00-00	11 7/8" TJI@ 210	1	3	MFD
FJ4	24-00-00	11 7/8" TJI@ 210	1	6	MFD
FJ5	22-00-00	11 7/8" TJI@ 210	1	9	MFD
FJ6	18-00-00	11 7/8" TJI@ 210	1	1	MFD
FJ7	16-00-00	11 7/8" TJI@ 210	1	9	MFD
FJ8	8-00-00	11 7/8" TJI@ 210	1	3	MFD
FJ9	6-00-00	11 7/8" TJI@ 210	1	5	MFD
BM1	8-00-00	1 3/4" x 9 1/2" 2.0E Microllam® LVL	2	4	MFD
BM2	6-00-00	1 3/4" x 9 1/2" 2.0E Microllam® LVL	2	4	MFD
Ca1	16-00-00	1 1/4" x 11 7/8" 1.3E TimberStrand® LSL	1	14	FF
Bk1	5-00-00	11 7/8" TJI@ 210	1	1	MFD

Wall Framing					
PlotID	Length	Product	Plies	Net Qty	Fab Type
Hd1	6-00-00	2x10 DF No.2	2	4	MFD
Hd2	4-00-00	2x10 DF No.2	2	6	MFD
Hd3	6-00-00	2x4 DF No.2	1	4	MFD
Hd4	4-00-00	2x4 DF No.2	1	7	MFD

Accessories					
PlotID	Length	Product	Plies	Net Qty	Fab Type
Web Stiffeners (11 7/8" TJI@ 210)			1	8	Other
3/4" Plywood or OSB (23/32" APA Rated Sheathing 48/24 Exposure 1)			1	59	MFD

Connector Summary									
Qty	Manuf	Product	Flange	Backer Blocks	Web Stiff	Skew	Slope	Supporting Mtl	Supported Mtl
4	Simpson	IUS2.06/9.5	None	No	Yes	-	-	SCL	11 7/8" TJI@ 210
7	Simpson	IUS2.06/11.88	None	No	No	-	-	SCL	11 7/8" TJI@ 210



LEVEL AND FLOOR CONTAINER NOTES	
Current Date:	6/3/2020
File Name:	tr - Allstar Homes - 672 Deakon Court.mxd
Level Name:	Basement
Building Code - Design Methodology:	IRC2015
Floor Container:	FC1
Floor Area Loading is:	40 Live Load & 12 Dead Load
Maximum Allowed Deflection	L/480 Live Load & L/240 Total Load

<b>Idaho Falls, ID LBM</b> <b>DESIGNER: Gary Hope</b> <b>PHONE: 208-557-5056</b> <b>E-MAIL: Gary.Hope@BuildWithBMC.com</b>	<b>Builder: Allstar Homes</b> <b>Job Name:</b> <b>Address: 672 Deakon Court</b> <b>City, St.: Idaho Falls ID</b>
	<b>Job Number:</b> <b>Date: 6/3/2020</b>

